



Double Deflection Grille(DDG-AF)



- Specification:**
- Powder coated white.
 - Made of aluminum profile 6063 T5.
 - Size can be customized.
 - Dimensions tolerance is ± 1 mm.
 - The blades are adjustable to change the angel of the air flow.
 - The long blades on the top and the short blades on the bottom.
 - Beyond 600mm length will add one reinforcement in the center of the grille.

Dimension:




Code	A-A	B-B	H
DDG-AF 350100	340*90	396*146	41
DDG-AF 350150	340*140	396*196	41
DDG-AF 400100	390*90	446*146	41
DDG-AF 400150	390*140	446*196	41
DDG-AF 600150	590*140	646*196	41
DDG-AF 600200	590*190	646*246	41

Double Deflection Grille Removable Core(DDG-AR)



- Specification:**
- Powder coated white.
 - Made of aluminum profile 6063 T5.
 - Size can be customized.
 - The core is removable.
 - The blades are adjustable to change the angel of the air flow.
 - The long blades on the top and the short blades on the bottom.
 - Beyond 600mm length will add one reinforcement in the center of the grille.

Dimension:




Code	A-A	B-B	H
DDG-AR 350100	345*95	394*144	50
DDG-AR 350150	345*145	394*194	50
DDG-AR 400100	395*95	444*144	50
DDG-AR 400150	395*145	444*194	50
DDG-AR 600150	595*145	644*194	50
DDG-AR 600200	595*195	644*244	50

Double Deflection Grille Removable Core (DDG-BR)



- Specification:**
- Powder coated white.
 - Made of aluminum profile 6063 T5.
 - Size can be customized.
 - The core is removable.
 - The blades are adjustable to change the angel of the air flow.
 - The long blades on the top and the short blades on the bottom.
 - Beyond 600mm length will add one reinforcement in the center of the grille.

Dimension:




Code	A-A	B-B	H
DDG-BR 350100	345*95	393*143	60
DDG-BR 350150	345*145	393*193	60
DDG-BR 400100	395*95	443*143	60
DDG-BR 400150	395*145	443*193	60
DDG-BR 600150	595*145	643*193	60
DDG-BR 600200	595*195	643*243	60

Single Deflection Grille (SDG-EF)




- Specification:**
- Powder coated white.
 - Made of aluminum profile 6063 T5.
 - Size can be customized.
 - The blades are adjustable to change the angel of the air flow.
 - Beyond 600mm length will add one reinforcement in the center of the grille.

Dimension:



Code	A-A	B-B	H
SDG-EF 250100	235*85	287*137	26
SDG-EF 350150	285*135	337*187	26
SDG-EF 400100	385*85	437*137	26
SDG-EF 400150	385*135	437*187	26
SDG-EF 500150	485*135	537*187	26
SDG-EF 600200	585*185	637*237	26


Double Deflection Grille (DDG-GF)



Specification:

- Powder coated white.
- Made of aluminum profile 6063 T5.
- Size can be customized.
- The blades are adjustable to change the angel of the air flow.
- The long blades on the top and the short blades on the bottom.
- Beyond 600mm length will add one reinforcement in the center of the grille.

Dimension:



Code	A-A	B-B	H
DDG-GF 250100	235*85	287*137	43
DDG-GF 350150	285*135	337*187	43
DDG-GF 400100	385*85	437*137	43
DDG-GF 400150	385*135	437*187	43
DDG-GF 500150	485*135	537*187	43
DDG-GF 600200	585*185	637*237	43


Double Deflection Grille c/w OBD (DDG-GFD)



Specification:

- Powder coated white.
- Made of aluminum profile 6063 T5.
- Size can be customized.
- The blades are adjustable to change the angel of the air flow.
- The long blades on the top and the short blades on the bottom.
- Beyond 600mm length will add one reinforcement in the center of the grille.

Dimension:



Code	A-A	B-B	H
DDG-GFD 250100	240*90	287*137	86
DDG-GFD 350150	290*140	337*187	86
DDG-GFD 400100	390*90	437*137	86
DDG-GFD 400150	390*140	437*187	86
DDG-GFD 500150	490*140	537*187	86
DDG-GFD 600200	590*190	637*237	86


PVC Double Deflection Grille Fixed (PDDG)



Specification:

- White color.
- Made of PVC plastic.
- Size can be customized.
- Dimensions tolerance is ± 1 mm.
- The core is fixed can not be taken out.
- The blades are adjustable to change the angel of the air flow.
- The long blades on the top and the short blades on the bottom.

Dimension:



Code	A-A	B-B	H
PDDG 400150	395*145	445*195	44
PDDG 400200	395*195	445*245	44
PDDG 600200	595*195	645*245	44
PDDG 600250	595*245	645*295	44
PDDG 900300	895*295	945*345	44
PDDG 900350	895*345	945*395	44